

Atlas Technical

Suite 301

290 Roberts Street

East Hartford, CT 06108

EMSL Order: 242304392 **Customer ID:** ATCE54 **Customer PO:** 19-10133-0001

Project ID:

Phone: (860) 549-7495

Fax: (860) 282-9826

Collected Date: 08/18/2023

Received Date: 08/18/2023 01:10 PM

Analyzed Date: 08/21/2023

Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Test Report:Air-O-Cell(™) Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Test Report:Air-C Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0001 1 75			242304392-0002 2 75			242304392-0003 3 75			
		OUTSIDE 1	o/		152	a, .=		152E	a, .=	
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	
Alternaria (Ulocladium) Ascospores	- 65	2900	2.4	6	300	2.3	2	90	2.2	
Aspergillus/Penicillium	2	90	0.1	5	200	1.5	1	40	1	
Aspergillus/Ferilcilliditi Basidiospores	2620	116000	96.9	281	12400	94.9	85	3800	94.8	
Bipolaris++									94.0	
Chaetomium++	-	-	-	-	-	-	-	-	-	
Cladosporium	1	40	0	-	-	-	1	40	- 1	
Ciadosporium		-	U	-	-	-	ı	40	'	
Epicoccum	-		-	- 1*	- 10*	0.1	-	-	-	
Fusarium++	-	-	-	'	10	0.1	-	-	-	
Ganoderma	9	400	0.3	2*	30*	0.2	1	40	1	
Myxomycetes++	4	200	0.3	2	30	0.2	ı	40	'	
Pithomyces++	-	200	0.2	2*	30*	0.2	-	-	-	
Rust	-	-	-	2	90	0.2	-	-	-	
Scopulariopsis/Microascus	<u> </u>	-	-	2	30	-	_	_	_	
Stachybotrys/Memnoniella	-	-	_	_	-	_	_	-	-	
Unidentifiable Spores	1	40	0	<u>-</u>	_	_	_		_	
Zygomycetes	<u>'</u>	-	-	_	_	_	_	_	_	
Chaetoconis	-	_	_	-	_	_	_	-	_	
Total Fungi	2702	119670	100	299	13060	100	90	4010	100	
Hyphal Fragment	1	40	-	-	-	-	1*	10*	-	
Insect Fragment	1*	10*	-	_	-	-	- -	-	-	
Pollen	-	-	-	_	-	_	_	-	-	
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-	
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-	
Skin Fragments (1-4)	-	1	-	-	2	-	-	1	-	
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-	
Background (1-5)	-	1	-	-	1	-	-	1	-	

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

No discernable field blank was submitted with this group of samples. \\

Gloria V. Oriol-Aguilar, Microbiology Director or other Approved Signatory

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment.***
Denotes particles found at 300X. **Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintain liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534



Atlas Technical

Suite 301

290 Roberts Street

East Hartford, CT 06108

EMSL Order: 242304392 Customer ID: ATCE54 Customer PO: 19-10133-0001

Project ID:

Phone: (860) 549-7495

Fax: (860) 282-9826

Collected Date: 08/18/2023

Received Date: 08/18/2023 01:10 PM

Analyzed Date: 08/21/2023

Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0004 4 75 152D			242304392-0005 5 75 152C			O-SOP-201, ASTM D7391) 242304392-0006 6 75 152B			
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	
Alternaria (Ulocladium)	- '	-	<u> </u>	-	-	-	-	-	-	
Ascospores	3	100	1.8	3	100	1.3	4	200	1.2	
Aspergillus/Penicillium	-	-	-	-	-	-	2	90	0.5	
Basidiospores	114	5040	91.6	165	7290	97.6	367	16200	97.2	
Bipolaris++	-	-	-	-	-	-	-	-	-	
Chaetomium++	-	-	-	-	-	-	-	-	-	
Cladosporium	7	300	5.5	-	-	-	2	90	0.5	
Curvularia	1*	10*	0.2	-	-	-	-	-	-	
Epicoccum	-	-	-	-	-	-	-	-	-	
Fusarium++	-	-	-	-	-	-	-	-	-	
Ganoderma	1	40	0.7	1	40	0.5	2	90	0.5	
Myxomycetes++	1*	10*	0.2	1	40	0.5	-	-	-	
Pithomyces++	-	-	-	-	-	-	-	-	-	
Rust	-	-	-	-	-	-	-	-	-	
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-	
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-	
Unidentifiable Spores	-	-	-	-	-	-	-	-	-	
Zygomycetes	-	-	-	-	-	-	-	-	-	
Chaetoconis	-	-	-	-	-	-	-	-	-	
Total Fungi	127	5500	100	170	7470	100	377	16670	100	
Hyphal Fragment	-	-	-	-	-	-	-	-	-	
Insect Fragment	-	-	-	-	-	-	-	-	-	
Pollen	-	-	-	-	-	-	-	-	-	
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-	
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-	
Skin Fragments (1-4)	-	2	-	-	2	-	-	2	-	
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-	
Background (1-5)	-	1	-	-	1	-	-	1	-	

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

No discernable field blank was submitted with this group of samples.

Gloria V. Oriol-Aguilar, Microbiology Director or other Approved Signatory

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534



Atlas Technical

Suite 301

290 Roberts Street

East Hartford, CT 06108

EMSL Order: 242304392 **Customer ID:** ATCE54 **Customer PO:** 19-10133-0001

distorrer PO. 19-1013

Project ID:

Phone: (860) 549-7495

Fax: (860) 282-9826

Collected Date: 08/18/2023

Received Date: 08/18/2023 01:10 PM

Analyzed Date: 08/21/2023

Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Test Report:Air-O-Cell(™) Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0007 7 75 152A			242304392-0008 8 75 152F			242304392-0009 9 75 112			
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-	
Ascospores	8	400	7.2	11	490	4.5	3	100	3.5	
Aspergillus/Penicillium	-	-	-	-	-	-	1	40	1.4	
Basidiospores	115	5080	92	233	10300	94.7	59	2600	91.5	
Bipolaris++	-	-	-	-	-	-	-	-	-	
Chaetomium++	-	-	-	-	-	-	-	-	-	
Cladosporium	1	40	0.7	2	90	8.0	1	40	1.4	
Curvularia	-	-	-	-	-	-	-	-	-	
Epicoccum	-	-	-	-	-	-	1*	10*	0.4	
Fusarium++	-	-	-	-	-	-	-	-	-	
Ganoderma	-	-	-	-	-	-	-	-	-	
Myxomycetes++	-	-	-	-	-	-	-	-	-	
Pithomyces++	-	-	-	-	-	-	1	40	1.4	
Rust	-	-	-	-	-	-	1*	10*	0.4	
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-	
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-	
Unidentifiable Spores	-	-	-	-	-	-	-	-	-	
Zygomycetes	-	-	-	-	-	-	-	-	-	
Chaetoconis	-	-	-	-	-	-	-	-	-	
Total Fungi	124	5520	100	246	10880	100	67	2840	100	
Hyphal Fragment	-	-	-	-	-	-	-	-	-	
Insect Fragment	1	40	-	-	-	-	-	-	-	
Pollen	-	-	-	-	-	-	-	-	-	
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-	
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-	
Skin Fragments (1-4)	-	1	-	-	2	-	-	2	-	
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-	
Background (1-5)	-	1	-	-	1	-	-	1	-	

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

No discernable field blank was submitted with this group of samples.

Gloria V. Oriol-Aguilar, Microbiology Director or other Approved Signatory

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-90%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. """
Denotes particles found at 300X. "" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534



EMSL Order: 242304392 **Customer ID:** ATCE54 **Customer PO:** 19-10133-0001

Project ID:

 Attention:
 Doug Rhoads
 Phone: (860) 549-7495

 Atlas Technical
 Fax: (860) 282-9826

290 Roberts Street Collected Date: 08/18/2023

Suite 301 Received Date: 08/18/2023 01:10 PM

East Hartford, CT 06108 Analyzed Date: 08/21/2023

Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Test Report:Air-O-Cell(™) Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0010 10 75 112A			242304392-0011 11 75 112B			O-SOP-201, ASTM D7391) 242304392-0012 12 75 112C			
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-	
Ascospores	15	660	3.7	3	100	3.8	2	90	1.8	
Aspergillus/Penicillium	1	40	0.2	-	-	-	29	1300	25.7	
Basidiospores	381	16800	93.9	55	2400	92	67	3000	59.4	
Bipolaris++	-	-	-	-	-	-	-	-	-	
Chaetomium++	-	-	-	-	-	-	-	-	-	
Cladosporium	4	200	1.1	3	100	3.8	8	400	7.9	
Curvularia	-	-	-	-	-	-	-	-	-	
Epicoccum	-	-	-	-	-	-	-	-	-	
Fusarium++	-	-	-	-	-	-	-	-	-	
Ganoderma	4	200	1.1	-	-	-	2	90	1.8	
Myxomycetes++	-	-	-	-	-	-	2	90	1.8	
Pithomyces++	-	-	-	1*	10*	0.4	2*	30*	0.6	
Rust	-	-	-	-	-	-	1*	10*	0.2	
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-	
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-	
Unidentifiable Spores	-	-	-	-	-	-	1	40	0.8	
Zygomycetes	-	-	-	-	-	-	-	-	-	
Chaetoconis	-	-	-	-	-	-	-	-	-	
Total Fungi	405	17900	100	62	2610	100	114	5050	100	
Hyphal Fragment	-	-	-	1*	10*	-	1*	10*	-	
Insect Fragment	-	-	-	-	-	-	-	-	-	
Pollen	2*	30*	-	-	-	-	-	-	-	
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-	
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-	
Skin Fragments (1-4)	-	2	-	-	3	-	-	2	-	
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-	
Background (1-5)	-	1	-	-	1	-	-	1	-	

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

No discernable field blank was submitted with this group of samples.

Gloria V. Oriol-Aguilar, Microbiology Director or other Approved Signatory

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-90%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. """
Denotes particles found at 300X. "" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534



EMSL Order: 242304392 **Customer ID:** ATCE54 **Customer PO:** 19-10133-0001

Project ID:

 Attention:
 Doug Rhoads
 Phone:
 (860) 549-7495

 Atlas Technical
 Fax:
 (860) 282-9826

290 Roberts Street Collected Date: 08/18/2023

Suite 301 Received Date: 08/18/2023 01:10 PM East Hartford, CT 06108 Analyzed Date: 08/21/2023

Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Test Report:Air-O-Cell(™) Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number: Client Sample ID: Volume (L): Sample Location:	242304392-0013 13 75 112D			242304392-0014 14 75 212			242304392-0015 15 75 207			
Spore Types	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	Raw Count	Count/m³	% of Total	
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-	
Ascospores	7	300	6.1	-	-	-	2	90	10	
Aspergillus/Penicillium	12	530	10.8	5	200	48.8	5	200	22.2	
Basidiospores	90	4000	81.3	5	200	48.8	13	570	63.3	
Bipolaris++	-	-	-	-	-	-	-	-	-	
Chaetomium++	-	-	-	-	-	-	-	-	-	
Cladosporium	1	40	8.0	-	-	-	1	40	4.4	
Curvularia	-	-	-	-	-	-	-	-	-	
Epicoccum	-	-	-	-	-	-	-	-	-	
Fusarium++	-	-	-	-	-	-	-	-	-	
Ganoderma	1	40	8.0	-	-	-	-	-	-	
Myxomycetes++	1*	10*	0.2	-	-	-	-	-	-	
Pithomyces++	-	-	-	-	-	-	-	-	-	
Rust	-	-	-	1*	10*	2.4	-	-	-	
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-	
Stachybotrys/Memnoniella	-	-	-	-	-	-	-	-	-	
Unidentifiable Spores	-	-	-	-	-	-	-	-	-	
Zygomycetes	-	-	-	-	-	-	-	-	-	
Chaetoconis	-	-	-	-	-	-	-	-	-	
Total Fungi	112	4920	100	11	410	100	21	900	100	
Hyphal Fragment	-	-	-	-	-	-	-	-	-	
Insect Fragment	-	-	-	-	-	-	-	-	-	
Pollen	-	-	-	-	-	-	-	-	-	
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-	
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-	
Skin Fragments (1-4)	-	1	-	-	2	-	-	2	-	
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-	
Background (1-5)	-	1	-	-	1	-	-	1	-	

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

No discernable field blank was submitted with this group of samples.

Gloria V. Oriol-Aguilar, Microbiology Director or other Approved Signatory

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment.***
Denotes particles found at 300X. **Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintain liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the report.

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534



Atlas Technical

Suite 301

290 Roberts Street

East Hartford, CT 06108

EMSL Order: 242304392 Customer ID: ATCE54 Customer PO: 19-10133-0001

Project ID:

Phone: (860) 549-7495 Fax: (860) 282-9826

Collected Date: 08/18/2023

Received Date: 08/18/2023 01:10 PM

Analyzed Date: 08/21/2023

Project: ASNUNTUCK CC-IAQ, FACULTY SUITES A, C, D + ROOM 207+212

Test Report:Air-C	D-Cell(™) Analy	sis of Fungal S	pores & Partic	ulates by Optica	al Microscopy (Methods MICR	O-SOP-201, AST	VI D7391)	
Lab Sample Number: Client Sample ID: Volume (L):	2	42304392-0020 16 75							
Sample Location:		OUTSIDE 2							
Spore Types	Raw Count	Count/m³	% of Total	-	-	-	-	-	-
Alternaria (Ulocladium)	1	40	0.1	-	-	-	-		-
Ascospores	418	18500	42.3	-		-			
Aspergillus/Penicillium	4	200	0.5	-		-			
Basidiospores	550	24300	55.5	-		-			
Bipolaris++	-	-	-	-		-			
Chaetomium++	-	-	-	-		-			
Cladosporium	9	400	0.9	-		-			
Curvularia	-	-	-	-		-			
Epicoccum	-	-	-	-		-			
Fusarium++	-	-	-	-		-			
Ganoderma	3	100	0.2	-		-			
Myxomycetes++	2	90	0.2	-		-			
Pithomyces++	-	-	-	-		-			
Rust	-	-	-	-		-			
Scopulariopsis/Microascus	-	-	-	-		-			
Stachybotrys/Memnoniella	-	-	-	-		-			
Unidentifiable Spores	1	40	0.1	-		-			
Zygomycetes	-	-	-	-		-			
Chaetoconis	2	90	0.2	-		-			
Total Fungi	990	43760	100	-		-			
Hyphal Fragment	-	-	-	-					
Insect Fragment	-	-	-	-		-			
Pollen	-	-	-	-	-				-
Analyt. Sensitivity 600x	-	44	-	-	-	-	-	-	-
Analyt. Sensitivity 300x	-	13*	-	-		-			
Skin Fragments (1-4)	-	1	-	-		-			
Fibrous Particulate (1-4)	-	1	-			-			
Background (1-5)	-	1	-	-		-			

++ Includes other spores with similar morphology; see EMSL's for	ungal
glossary for each specific category.	

No discernable field blank was submitted with this group of samples.

Gloria V. Oriol-Aguilar, Microbiology Director or other Approved Signatory

Skin Fragment and Fibrous Particulate ratings are based on the percent of non-fungal material they represent: 1 (1-25%), 2 (26-50%), 3 (51-75%), or 4 (76-100%). Background ratings are based on the total area covered by non-fungal particles: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-99%), or 5 (100%; overloaded, prohibiting accurate detection and quantification). High levels of background will obscure spores and other particulates, leading to underestimation. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. When the information supplied by the customer can affect the validity of the result, it will be noted on the

Samples analyzed by EMSL Analytical, Inc. Rochester, NY AIHA LAP, LLC-EMLAP Accredited #284534