acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

1 Identification

Product identifier

• Trade name: Sterilex Ultra-Kleen Solution 1

· Article number: 63761-3

· Recommended use and restriction on use

· Recommended use: Biocide Solution

· Restrictions on use: No relevant information available.

[•] Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier:

Sterilex Corporation 111 Lake Front Drive Hunt Valley MD 21030 410-541-8800

· Emergency telephone number:

ChemTel Inc.+1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture Skin Corr. 1B H314 Causes severe skin burns and eye damage. · Additional information: Concentrated product is corrosive as shown in this document. When diluted at least 1:1 (50% or less solution) with water, product is non-hazardous. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS05 · Signal word: Danger · Hazard-determining components of labeling: Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride Alkyl dimethyl ethyl benzyl ammonium chloride · Hazard statements: H314 Causes severe skin burns and eye damage. · Precautionary statements: Do not breathe mist/vapors/spray. P260 P264 Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection. P280 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1 (Cont'd. of page 1) P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. P363 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. Classification system NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0 · HMIS-ratings (scale 0 - 4) 3 Health = 3 HEALTH • Fire = 0 FIRE **REACTIVITY** Reactivity = 0 Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7722-84-1 hydrogen peroxide	5.5-7.2%		
Ox. Liq. 1, H271 Skin Corr. 1A, H314			
Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335			
85409-23-0 Alkyl dimethyl ethyl benzyl ammonium chloride	2.5-3.5%		
Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302			
68391-01-5 Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride	2.5-3.5%		
Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302			
Additional information:			

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

[•] Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately remove any clothing soiled by the product.

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

(Cont'd. of page 2)

Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate medical help for blistering or open wounds. · After eve contact: Remove contact lenses if worn, if possible. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Strong caustic effect on skin and mucous membranes. Coughing Breathing difficulty Nausea Cramp Danger: Danger of gastric perforation. Danger of impaired breathing. Causes serious eye damage. Danger of disturbed cardiac rhythm. Indication of any immediate medical attention and special treatment needed: If necessary oxygen respiration treatment. Monitor circulation, possible shock treatment. Medical supervision for at least 48 hours.

5 Fire-fighting measures

[·] Extinguishing media

· Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

(Cont'd. of page 3)

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

- Precautions for safe handling:
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Avoid splashes or spray in enclosed areas.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:
- Avoid storage near extreme heat, ignition sources or open flame.
- Unsuitable material for receptacle: aluminium.
- Unsuitable material for receptacle: steel.
- Information about storage in one common storage facility:
- Avoid direct contact with oxidizing agents and strong acids.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Storage Temperatures : <140 °F / <60 °C.
- Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parameters

• Components with limit values that require monitoring at the workplace:

7722-84-1 hydrogen peroxide

-	
PEL (USA)	Long-term value: 1.4 mg/m ³ , 1 ppm
REL (USA)	Long-term value: 1.4 mg/m ³ , 1 ppm
TLV (USA)	Long-term value: 1.4 mg/m ³ , 1 ppm
EL (Canada)	Long-term value: 1 ppm
EV (Canada)	Long-term value: 1.4 mg/m ³ , 1 ppm
LMPE (Mexico)	Long-term value: 1 ppm
	A3
	(Cont'd, on page E)

(Cont'd. on page 5)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

(Cont'd. on page 6)

Trade name: Sterilex Ultra-Kleen Solution 1

	(Cont'd. of page 4)		
• Exposure controls			
Personal protective equipment:			
General protective and hygienic mea			
	The usual precautionary measures for handling chemicals should be followed.		
	Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.		
	Wash hands before breaks and at the end of work.		
Avoid contact with the eyes and skin.	Avoid contact with the eyes and skin.		
Do not inhale gases / fumes / aerosols.	Do not inhale gases / fumes / aerosols.		
	• Engineering controls: No relevant information available.		
· Breathing equipment:	f		
Not required under normal conditions o			
exceeded.	hen ventilation is inadequate and occupational exposure limits are		
For spills, respiratory protection may be	e advisable.		
Protection of hands:	· Protection of hands:		
(Th)	τ ^θ		
Protective gloves			
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.			
· Eye protection:			
Safety glasses			
Production of the second contract of the seco			
• Body protection: Protective work clothing			
[•] Limitation and supervision of exposure into the environment No relevant information available.			
• Risk management measures See Section 7 for additional information.			
9 Physical and chemical proper	tion		
9 Physical and chemical propert			
[•] Information on basic physical an	d chemical properties		
· Appearance:			
Form:	Liquid		
Color:	Colorless		
· Odor:	Odorless Not determined		
Odor threshold:	Not determined.		
· pH-value:	3.01 - 5.86		
Melting point/Melting range:	Not determined.		
· Boiling point/Boiling range:	100 °C (212 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

		(Cont'd. of page
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available. Chemical stability: • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. To avoid thermal decomposition, do not overheat. Possibility of hazardous reactions: Toxic fumes may be released if heated above the decomposition point. Reacts with strong oxidizing agents. Reacts with certain metals. Conditions to avoid: Keep away from heat and direct sunlight. Prevent from drying out. Avoid direct contact with oxidizing agents and strong acids. · Incompatible materials: No relevant information available. · Hazardous decomposition products: Carbon monoxide and carbon dioxide Chlorine compounds

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

(Cont'd. of page 6)

· Acuto to	Information on toxicological effects			
	Acute toxicity: LD/LC50 values that are relevant for classification:			
7722-84-	1 hydroge	n peroxide		
Oral	LD50	376 mg/kg (rat)		
Inhalative	LC50/4h			
85409-23	-0 Alkyl di	imethyl ethyl benzyl ammonium chloride		
Oral	LD50	350 mg/kg (rat)		
Dermal	LD50	3000 mg/kg (rabbit)		
68391-01	-5 Alkyl (C	C12,C14,C16) Dimethyl Benzyl Ammonium Chloride		
Oral	LD50	650 mg/kg (rat)		
•		I Agency for Research on Cancer): ents are listed.		
	•			
•		icology Program): ents are listed.		
	0			
	• •	tional Safety & Health Administration): ents are listed.		
Probable Acute eff Repeated CMR effe Germ cel Carcinog	e route(s) o fects (acua d dose tox ects (carci l mutager jenicity: B ctive toxid	of exposure: Skin contact. te toxicity, irritation and corrosivity): Causes severe skin burns and eye damage kicity: No relevant information available. Inogenity, mutagenicity and toxicity for reproduction) hicity: Based on available data, the classification criteria are not met. cased on available data, the classification criteria are not met. city: Based on available data, the classification criteria are not met. sure: Based on available data, the classification criteria are not met.		

[·] Toxicity

• Aquatic toxicity The product contains materials that are harmful to the environment.

· Persistence and degradability No relevant information available.

• **Bioaccumulative potential:** May be accumulated in organism

• Mobility in soil: No relevant information available.

· Ecotoxical effects:

· Remark: After neutralization a reduction of the harming action may be recognized

(Cont'd. on page 8)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

(Cont'd. of page 7)

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

[•] Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation:

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
· DOT, ADR, IMDG, IATA	UN1760
UN proper shipping name	
Limited Quantity for packag (1.3 gal).	es less than 30 kg (66 lb) and inner packagings less than 5 L
DOT	Corrosive Liquids, n.o.s. (Quaternary ammonium compound)
· DOT · ADR · IMDG	compound) 1760 CORROSIVE LIQUID, N.O.S. (Quaterna)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1 (Cont'd. of page 8) Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label 8 · ADR · Class 8 (C9) Corrosive substances · Label 8 · IMDG, IATA · Class 8 Corrosive substances · Label 8 [•] Packing group DOT, ADR, IMDG, IATA Ш • Environmental hazards · Marine pollutant: No [•] Special precautions for user Warning: Corrosive substances · Danger code (Kemler): 80 · EMS Number: F-A,S-B [•] Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 355 (extremely hazardous substances):
 7722-84-1 hydrogen peroxide

(Cont'd. on page 10)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

	(Cont'd. of pa
	ection 313 (Specific toxic chemical listings):
No	one of the ingredients are listed.
TS	SCA (Toxic Substances Control Act)
	ingredients are listed.
	oposition 65 (California)
Ch	nemicals known to cause cancer:
No	one of the ingredients are listed.
Ch	nemicals known to cause reproductive toxicity for females:
Nc	one of the ingredients are listed.
Ch	nemicals known to cause reproductive toxicity for males:
Nc	one of the ingredients are listed.
Ch	nemicals known to cause developmental toxicity:
Nc	one of the ingredients are listed.
Са	arcinogenic categories
EP	PA (Environmental Protection Agency):
85	409-23-0 Alkyl dimethyl ethyl benzyl ammonium chloride Register
ce cla no DA CC Ca Ha Ha Ma	his chemical is a pesticide product registered by the Environmental Protection Agency and is subject the subject of the sector o
	RC (International Agency for Research on Cancer):
	22-84-1 hydrogen peroxide
NI	OSH-Ca (National Institute for Occupational Safety and Health):
	one of the ingredients are listed.
Са	anadian substance listings
Ca	anadian Domestic Substances List (DSL):
	ingredients are listed.
Cł	hemical safety assessment: A Chemical Safety Assessment has not been carried out.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 11)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/08/2016

Revision: 04/08/2016

Trade name: Sterilex Ultra-Kleen Solution 1

	(Cont'd. of page 10)
· Date of preparation / last revision 04/08/2016 / -	
 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Ox. Liq. 1: Oxidising Liquids, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • Sources	
 Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/regisoverview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, 0 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers 	
SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com	